



CATÁLOGO



**MÁS DE 15 AÑOS
DE EXPERIENCIA**

**PERSONAL ALTAMENTE
CAPACITADO**

**EXPERTOS EN LA VENTA
DE TUBERÍA, VÁLVULAS
Y CONEXIONES**

**MARCAS NACIONALES E
INTERNACIONALES**

**TELFONOS
(81) 17687606
(81) 17687607
(81) 86830122**


ventas@tavilsamty.com

QUIÉNES SOMOS

Líder Industrial

Somos una empresa con más de 15 años de experiencia con el propósito de satisfacer las necesidades de la industria ofreciendo soluciones integrales en el ramo de tuberías, válvulas y conexiones. Comercializamos y Distribuimos productos nacionales e importados de marcas líderes para uso estándar, alta presión especialidades y proyectos específicos.

Contamos con amplia experiencia en el mercado que nos permite comprender y atender diversas industrias, para así participar en conjunto en sus proyectos y darles soluciones integrales.



Cast Iron Valves

CHECK VALVE



MSS SP-70
CAST IRON
ASTM A126 GR B
FF ENDS
CLASS 125
SIZES: 2"- 12"

GATE VALVE



MSS SP-70
CAST IRON
ASTM A126 GR B
FF ENDS
CLASS 125
SIZES: 2"- 12"

GLOBE VALVE



MSS SP-70
CAST IRON
ASTM A126 GR B
FF ENDS
CLASS 125
SIZES: 2"- 12"

Forged Steel Valves

LIFT CHECK VALVE



API 602
CARBON STEEL A 105N
TRIM 8
THREADED ENDS
ASME
NACE
CLASS 800
SIZES: 1/2"-2"

GATE VALVE



API 602
CARBON STEEL A 105N
TRIM 8
THREADED ENDS
ASME
NACE
CLASS 800
SIZES: 1/4"-2"

GLOBE VALVE



Cast Steel Valves

GATE VALVE



API 600
CAST STEEL A 216 GR
WCB TRIM 8
RF ENDS
ASME
CLASS 150/300/600
SIZES: 2"-24"

FIG. 1118F/1318F/1618F

CHECK VALVE



BS 1868
CAST STEEL A 216 GR
WCB TRIM 8
RF ENDS
ASME
CLASS 150/300/600
SIZES: 2"-24"

GLOBE VALVE



API 623 (BS 1873)
CAST STEEL A 216 GR
WCB TRIM 8
RF ENDS
ASME
CLASS 150/300/600
SIZES: 2"-12"

Butterfly Valves

200 PSI CLASS 125/150

*GEAR OPERATOR AVAILABLE FROM 1"



DUCTILE IRON BODY-
WAFFER TYPE
BUNA SEAT
PLATED DUCTILE IRON DISC
SIZES: 2"- 36"



DUCTILE IRON BODY-
WAFFER TYPE
BUNA SEAT
STAINLESS STEEL CF8M DISC
SIZES: 1"- 36"



DUCTILE IRON BODY-
LUG TYPE
BUNA SEAT
PLATED DUCTILE IRON DISC
SIZES: 2"- 36"



DUCTILE IRON BODY-
LUG TYPE
BUNA SEAT
STAINLESS STEEL CF8M DISC
SIZES: 1"- 36"

Ball Valves

FLANGED END

CLASS: 150/300/600
A216 WCB BODY
FULL PORT - 6D API 608
NACE - 316SS TRIM
ASME B16.10/B16.5
TRUNNION & FLOATING TYPE
SIZES: 1"-12"



5112FF / 5112TF / 5312FF /
5312TF / 5612FF / 5612TF

1000/2000 PSI REDUCED PORT

STAINLESS STEEL / CARBON / FORGED
NACE
ASME B1.20.1
API 598
1 PC BODY
SIZES: 1/4" - 2"



1010SR

1010CR

2010CR

1000 PSI FULL PORT

STAINLESS STEEL / CARBON
NACE
ASME B1.20.1
API 598
2 PC BODY
SIZES: 1/4" - 4"



1020SF

1020CF

1000 PSI FULL PORT

Stainless Steel / Carbon
NACE
ASME B1.20.1
API 607
3 PC BODY
SIZES: 1/4" - 4"



1030SF

1030CF

2000 PSI FULL PORT

Stainless Steel / Carbon
NACE
ASME B1.20.1
API 598
2 PC BODY
SIZES: 1/4" - 2"



2020SF

2020CF

3000 PSI FULL PORT

Stainless Steel / Carbon
NACE
ASME B1.20.1
API 607
2 PC BODY
SIZES: 1/4" - 2"



3020SF

3020CF

6000 PSI FULL PORT

Stainless Steel / Carbon
NACE
ASME B1.20.1
API 598
2 PC BODY
SIZES: 1/4" - 1/2" FULL PORT
2" REDUCED PORT



6020SF

6020CF

Oil Field Valves

BDT SERIES

1000/2000 PSI
DUCTILE IRON BODY
STAINLESS STEEL BALL
NACE
1" FULL PORT
2"-4" REDUCED PORT



FIG. BDT1/BDT2

BCT SERIES

3000/5000 PSI
CARBON STEEL BODY
STAINLESS STEEL BALL
NACE
2" REDUCED PORT



FIG. BCT3/BCT5

CCT SERIES

3600 - 5000 WOG
CARBON STEEL SWING CHECK
CF8M DISC VITON SEAT
NACE
SIZES: 1" & 2"



FIG. CCT3 / CCT5

CDT SERIES

2000 WOG
DUCTILE IRON SWING CHECK
CF8M DISC VITON SEAT
NACE
SIZES: 1", 2", 3" & 4"



FIG. CDT2

NEEDLE VALVES

MINI NEEDLE VALVE

NACE - 316 SS & CARBON
6000 PSI @ 200° (SOFT SEAT)
SIZES: 1/4" ONLY



NEEDLE VALVE

NACE - 316 SS & CARBON
6000 PSI @ 200° (SOFT SEAT)
10000 PSI @ 200° (HARD SEAT)
SIZES: 1/4" - 1"



MULTI-PORT NEEDLE VALVE

NACE - 316 SS & CARBON
6000 PSI @ 200° (SOFT SEAT)
10000 PSI @ 200° (HARD SEAT)
SIZES: 1/2" ONLY



NEEDLE VALVE W/BLEED


NACE - 316 SS & CARBON
6000 PSI @ 200° (SOFT SEAT)
10000 PSI @ 200° (HARD SEAT)
SIZES: 1/4" - 1" ONLY



Buttlerfly Valves




Knife Gate Valves



High Performance Valves

Size Range: 2" thru 24",
optional thru 120"
ANSI Class 150/300/600/900



3 & 4 WAY MULTI-PORT BALL VALVES



Threaded Ends
MPT 100

Threaded Ends
MPF 30 - ANSI Class 300
Flanged Ends:
MPF15 - ANSI Class 150
MPF 30 - ANSI Class 300

3 PC HIGH PERFORMANCE BALL VALVES



MODELS:
HPF50 - 316SS
HPF40 - WCB

FLANGED BALL VALVES



MODELS:
F150 - Class 150
F300 - Class 300



STAINLESS STEEL GLOBE VALVES

ASME B16.34
(API 600 WALL THICKNESS),
API 603 DESIGNS



BALL VALVES

API 607, API 608,
API 6D, MSS-SP-110
ANSI B16.34 DESIGNS



STAINLESS STEEL GATE VALVES

API 600 - API 603
API 602 & WOG DESIGNS



CHECK VALVES

ANSI B16.34
(API 600 WALL THICKNESS)
DESIGN

"Y" Type & Basket Strainers

Fabricated products Titan FCI has the capability of designing and fabricating a variety of products to your exact specifications.

YS 12-CI

CLASS 250
THREADED
SIZES: 1/4" - 3"



YS 58-CI

CLASS 125
FLANGED
SIZES: 2" - 24"



YS 61-CS / YS 61-SS

CLASS 150
FLANGED
SIZES: 1/2" - 24"



YS 63-CS / YS 63-SS

CLASS 300
BUTT WELD
SIZES: 1/2" - 12"



BS 35-CS / BS 35-SS

CLASS 150/300
THREADED / SOCKET WELD
SIZES: 3/8" - 3"



BS 25-CI / BS 25F-CI

CLASS 125
QUICK-OPEN COVER
SIZES: 3/8" - 3" (THREADED)
SIZES: 1" - 8" (FLANGED)




BS 55-CI

CLASS 125
FLANGED
CLAMP COVER
SIZES: 2" - 12"



YS 83-CS / YS 83-SS

CLASS 1500
THREADED
SIZES: 1/2" - 3"



YS 84-CS / YS 84-SS

CLASS 1500
SOCKET WELD
SIZES: 1/2" - 3"



Single & Dual Disc Check Valves



CV 42-L-CS / CV 42-L-SS

CLASS 150
WAFFER & LUG TYPE DUAL DISC
CARBON & STAINLESS
SIZES: 2"-48"



CV 50-DI

CLASS 150/300
FLANGED & TREATED
DUCTILE IRON,
CARBON & STAINLESS
SIZES: 3/4"-36"



CV 46-CS / CV 46-SS

CV 47-CS / CV 47-SS

CLASS 600/900
WAFFER - DUAL DISC
CARBON & STAINLESS
SIZES: 2" - 48"

CV 44-CS / CV 44-SS

CLASS 300
WAFFER - DUAL DISC
CARBON & STAINLESS
SIZES: 2"-48"



CV 12-CS / CV 12-SS

CLASS 150
SHORT PATTERN-WAFFER
CARBON & STAINLESS
SIZES: 2"-24"



CV 32-CS / CV 32-SS

CLASS 150
WAFFER-SWING
CARBON & STAINLESS
SIZES: 2"-12"



CV 31-DI

CLASS 150
WAFFER-SWING
DUCTILE IRON
SIZES: 2"-12"



CV 41-DI


CLASS 150
WAFFER - DUAL DISC
DUCTILE IRON
SIZES: 2"-48"



Flanges

CARBON STEEL

ANSI/ASME B16.50
FORGED STEEL SA/A-105N
CLASS 150/300/600/900/1500/2500
SIZES: 1/2"-54"



*REDUCING FLANGES AVAILABLE UNDER REQUEST

Gaskets



CG, CGI & RING TYPES

CG & CGI TYPE ANSI/
ASME B16.20
MATERIAL: STAINLESS STEEL 304L & 316L
CLASS 150/300/600
FILLER GRAPHITE
SIZES: 1/2"-36"

Studs



B7P SERIES


CARBON STEEL A-193 GR B7 & A-194 GR 2H
ZINC PLATED COATING
SIZES: 1/2"- 1 7/8"
LENGTH: 2 1/2" TO 15 1/2"

Backing Rings



CARBON STEEL SA/A105
CLASS 125/150
ANSI B16.5
SIZES: 2"-24"

Flanges & Accesories



STAINLESS STEEL



EXPANSION JOINT



SLEEVE COUPLINGS

Gauges & Thermometers



PROCESS GAUGE



BI-METAL THERMOMETERS

Forged Fittings 3000/6000 PSI



WELDOLET



THREDOLET



SOCKETLET



FLEXOLET



LATROLET



ELBOLET



SWEEPOLET



INSERT WELDOLET



NIPOLET



BRAZOLET



COUPOLET



90° ELBOW



45° ELBOW



REDUCING TEE



TEE



UNION



90° STREET ELBOW



CROSS



COUPLING


Stainless Steel

Pipes & Fittings



Tubing & Fittings





BONNEY FORGE



ENVÍOS A TODA LA REPUBLICA MEXICANA

CONTACTO



Tubería, Válvulas y Accesorios Industriales.

BERNARDO REYES
#516 OTE
COL. CENTRO
SAN NICOLÁS DE LOS GARZA,
NUEVO LEÓN, MÉXICO
C.P. 66400

VENTAS
(81) 17687606
(81) 17687607
(81) 86830122

CORREOS
ventas@tavilsamty.com
ggvs17@yahoo.com.mx

www.tavilsamty.com